

Data Sheet

Momentum® 5400 FDE Family

Seagate Secure™ self-encrypting storage for mainstream laptop computers

**500, 320, 250 and 160 GB • 5400 RPM •
SATA 3Gb/s with NCQ**

Key Advantages

- Protects data and enables companies to be in compliance with an increasing number of regulations
- Easy to implement and manage, as encryption is always on
- No impact on system performance, unlike software encryption
- Only drive accepted by the National Security Agency (NSA) to protect classified, mission-critical and national security information
- Works with multiple security software applications to provide greater functionality
- Adopted by global companies and government agencies with the highest standards of security protection

Best-Fit Applications

- Corporate laptops that contain confidential employee, customer or corporate information
- Field sales, service and support laptops that contain critical customer data
- Personal laptops that contain sensitive information
- Industrial applications such as ATMs, POS systems and other teller-like systems



Momentum® 5400 FDE Family

Seagate Secure™ self-encrypting storage for mainstream laptop computers



Encryption Integration Without Headaches

The need for better, stronger security has never been greater. However, some companies have not yet implemented an encryption solution because of concerns over cost, complexity and a noticeable performance hit to employee's systems.

Hardware encryption is preferable to software solutions because it provides stronger security and has no negative impact on PCs.

The Momentum FDE drives were the first to be introduced, and they have been adopted by small and large businesses and government agencies around the world. This is the only drive family to have NSA acceptance for protecting classified, mission-critical and national security information, making it the drive of choice for companies who want this extra measure of confidence.

Seagate Secure™ technology enables IT departments to manage the security features of the drive via an enterprise security server. In fact, IT departments can manage multi-user and admin passwords that can invoke multi-factor logins as well as single sign-on and crypto erase functionality without ever touching the laptop. This can be done for a handful of laptop PCs or a worldwide enterprise. The management is all done via independent software vendors who have designed security management software to integrate with the Seagate Secure technology.

Seagate Self-Encrypting Drives are easy to deploy and manage, and a variety of security software companies have partnered with Seagate to provide additional levels of security management and protection. Keep in mind, this solution requires security management software from an independent software vendor. For a list of Seagate Secure independent software vendors please visit www.seagate.com/security.

Specifications	500 GB ¹	320 GB ¹	250 GB ¹	160 GB ¹
Model Number	ST9500327AS	ST9320322AS ST9320329ASG ²	ST9250317AS	ST9160312AS ST9160319ASG ²
Interface Options	SATA 3Gb/s NCQ	SATA 3Gb/s NCQ	SATA 3Gb/s NCQ	SATA 3Gb/s NCQ
Performance				
Transfer Rate				
Maximum Internal (Mb/s)	1175	830	1175	830
Maximum External (MB/s)	300	300	300	300
Cache (MB)	8	8	8	8
Average Latency (ms)	5.6	5.6	5.6	5.6
Spindle Speed (RPM)	5400	5400	5400	5400
Areal Density (Gb/in ²)	394	254	394	254
Configuration/Organization				
Disks/Heads	2/4	2/3, 2/4	1/2	1/2
Bytes per Sector	512	512	512	512
Reliability/Data Integrity				
G-Force Protection™	—	Available	—	Available
Head-Rest Method	QuietStep™ Ramp Load	QuietStep Ramp Load	QuietStep Ramp Load	QuietStep Ramp Load
Load/Unload Cycles	>600,000	>600,000	>600,000	>600,000
Nonrecoverable Read Errors per Bits Read	1 per 10E14	1 per 10E14	1 per 10E14	1 per 10E14
Annualized Failure Rate (AFR)	<0.48%	<0.48%	<0.48%	<0.48%
Power Management				
Startup Current 5V (amps max)	1.0	1.0	1.0	1.0
Power Management (W)				
Seek	1.54	2.0	1.54	2.0
Read/Write Avg	1.40/1.78	1.6/1.9	1.40/1.78	1.6/1.9
Idle/Standby Avg	0.67/0.22	—	0.67/0.22	—
Environmental				
Temperature (°C)				
Operating	0 to 60	0 to 60	0 to 60	0 to 60
Nonoperating	-40 to 70	-40 to 70	-40 to 70	-40 to 70
Shock (Gs)				
Operating: 2 ms	350	350	350	350
Nonoperating: 1 ms	1000	1000	1000	1000
Acoustics (bels—sound power)				
Idle	2.4	2.4	2.4	2.4
Seek	2.6	2.6	2.6	2.6
Physical				
Height (in/mm)	0.374/9.5	0.374/9.5	0.374/9.5	0.374/9.5
Width (in/mm)	2.75/69.85	2.75/69.85	2.75/69.85	2.75/69.85
Depth (in/mm)	3.957/100.5	3.957/100.5	3.957/100.5	3.957/100.5
Weight (lb/kg)	0.218/98.8	0.218/98.8	0.206/93.5	0.206/93.5

¹ One gigabyte, or GB, equals one billion bytes when referring to hard drive capacity.
² Drive with G-Force Protection™ feature

www.seagate.com
1-800-SEAGATE (1-800-732-4283)

AMERICAS Seagate Technology LLC 920 Disc Drive, Scotts Valley, California 95066, United States, 831-438-6550
 ASIA/PACIFIC Seagate Technology International Ltd. 7000 Ang Mo Kio Avenue 5, Singapore 569877, 65-6485-3888
 EUROPE, MIDDLE EAST AND AFRICA Seagate Technology SAS 130-136, rue de Silly, 92773, Boulogne-Billancourt Cedex, France 33 1-4186 10 00

Copyright © 2009 Seagate Technology LLC. All rights reserved. Printed in USA. Seagate, Seagate Technology and the Wave logo are registered trademarks of Seagate Technology LLC in the United States and/or other countries. G-Force Protection, Momentum, QuietStep and Seagate Secure are either trademarks or registered trademarks of Seagate Technology LLC or one of its affiliated companies in the United States and/or other countries. All other trademarks or registered trademarks are the property of their respective owners. When referring to hard drive capacity, one gigabyte, or GB, equals one billion bytes and one terabyte, or TB, equals one trillion bytes. Your computer's operating system may use a different standard of measurement and report a lower capacity. In addition, some of the listed capacity is used for formatting and other functions, and thus will not be available for data storage. Seagate reserves the right to change, without notice, product offerings or specifications. DS1690.1-0906US, June 2009