

# Quick-Reference Guide

## ENTERPRISE DRIVES



Segment	Family Platform	RPM	Model Number	Part Number	AFR/MTBF	Capacity <sup>1</sup>	Interface	Cache (MB)	Warranty Limited (yrs)	Options		
<b>3.5-INCH ENTERPRISE HDD</b>	<b>Performance</b>	<b>Cheetah® 15K</b>	15K	ST3600057SS	9FN066	0.55% 1.6M hrs	600GB	SAS	6Gb/s	16	5	
				ST3600957SS <sup>2</sup>	9PX066		600GB	SAS	6Gb/s	16	5	Encryption <sup>2</sup>
				ST3600857SS <sup>2,3</sup>	9XJ066		600GB	SAS	6Gb/s	16	5	Encryption/FIPS Validated <sup>2,3</sup>
				ST3600057FC	9FN004		600GB	FC	4Gb/s	16	5	
				ST3450857SS	9FM066		450GB	SAS	6Gb/s	16	5	
				ST3450757SS <sup>2</sup>	9PW066		450GB	SAS	4Gb/s	16	5	Encryption <sup>2</sup>
				ST3450657SS <sup>2,3</sup>	9XH066		450GB	SAS	6Gb/s	16	5	Encryption/FIPS Validated <sup>2,3</sup>
				ST3450857FC	9FM004		450GB	FC	4Gb/s	16	5	
				ST3300657SS	9FL066		300GB	SAS	6Gb/s	16	5	
				ST3300557SS <sup>2</sup>	9PV066		300GB	SAS	6Gb/s	16	5	Encryption <sup>2</sup>
				ST3300457SS <sup>2,3</sup>	9XG066		300GB	SAS	6Gb/s	16	5	Encryption/FIPS Validated <sup>2,3</sup>
				ST3300657FC	9FL004		300GB	FC	4Gb/s	16	5	
	<b>Mainstream</b>	<b>Constellation® ES.2</b>	7200	0.73% 1.2M hrs	ST33000650NS	95M160	3TB	SATA	6Gb/s	64	3	
					ST33000651NS <sup>2</sup>	9XK160	3TB	SATA	6Gb/s	64	3	Encryption <sup>2</sup>
					ST33000652NS <sup>2,3</sup>	9XT160	3TB	SATA	6Gb/s	64	3	Encryption/FIPS Validated <sup>2,3</sup>
					ST33000650SS	9SM260	3TB	SAS	6Gb/s	64	3	
					ST33000651SS <sup>2</sup>	9XK260	3TB	SAS	6Gb/s	64	3	Encryption <sup>2</sup>
					ST33000652SS <sup>2,3</sup>	9XT260	3TB	SAS	6Gb/s	64	3	Encryption/FIPS Validated <sup>2,3</sup>
					ST32000645NS	9SM167	2TB	SATA	6Gb/s	64	3	
					ST32000646NS <sup>2</sup>	9XK167	2TB	SATA	6Gb/s	64	3	Encryption <sup>2</sup>
					ST32000647NS <sup>2,3</sup>	9XT167	2TB	SATA	6Gb/s	64	3	Encryption/FIPS Validated <sup>2,3</sup>
					ST32000645SS	9SM267	2TB	SAS	6Gb/s	64	3	
					ST32000646SS <sup>2</sup>	9XK267	2TB	SAS	6Gb/s	64	3	Encryption <sup>2</sup>
					ST32000647SS <sup>2,3</sup>	9XT267	2TB	SAS	6Gb/s	64	3	Encryption/FIPS Validated <sup>2,3</sup>
		<b>Constellation ES</b>	7200	0.73% 1.2M hrs	ST2000NM0011	9YZ168	2TB	SATA	6Gb/s	64	3	
					ST2000NM0031 <sup>2</sup>	1A9168	2TB	SATA	6Gb/s	64	3	Encryption <sup>2</sup>
					ST2000NM0051 <sup>2,3</sup>	1AV168	2TB	SATA	6Gb/s	64	3	Encryption/FIPS Validated <sup>2,3</sup>
					ST2000NM0001	9YZ268	2TB	SAS	6Gb/s	64	3	
					ST2000NM0021 <sup>2</sup>	1A9268	2TB	SAS	6Gb/s	64	3	Encryption <sup>2</sup>
					ST2000NM0041 <sup>2,3</sup>	1AV268	2TB	SAS	6Gb/s	64	3	Encryption/FIPS Validated <sup>2,3</sup>
					ST1000NM0011	9YZ164	1TB	SATA	6Gb/s	64	3	
					ST1000NM0031 <sup>2</sup>	1A9164	1TB	SATA	6Gb/s	64	3	Encryption <sup>2</sup>
					ST1000NM0051 <sup>2,3</sup>	1AV164	1TB	SATA	6Gb/s	64	3	Encryption/FIPS Validated <sup>2,3</sup>
ST1000NM0001					9YZ264	1TB	SAS	6Gb/s	64	3		
ST1000NM0021 <sup>2</sup>					1A9264	1TB	SAS	6Gb/s	64	3	Encryption <sup>2</sup>	
ST1000NM0041 <sup>2,3</sup>					1AV264	1TB	SAS	6Gb/s	64	3	Encryption/FIPS Validated <sup>2,3</sup>	
ST500NM0011					9YZ162	500GB	SATA	6Gb/s	64	3		
ST500NM0031 <sup>2</sup>					1A9162	500GB	SATA	6Gb/s	64	3	Encryption <sup>2</sup>	
ST500NM0051 <sup>2,3</sup>					1AV162	500GB	SATA	6Gb/s	64	3	Encryption/FIPS Validated <sup>2,3</sup>	
ST500NM0001					9YZ262	500GB	SAS	6Gb/s	64	3		
ST500NM0021 <sup>2</sup>					1A9262	500GB	SAS	6Gb/s	64	3	Encryption <sup>2</sup>	
ST500NM0041 <sup>2,3</sup>					1AV262	500GB	SAS	6Gb/s	64	3	Encryption/FIPS Validated <sup>2,3</sup>	
<b>Low Power</b>	<b>Cheetah NS</b>	10K	0.55%/ 1.6M hrs	ST3600002SS	9FS066	600GB	SAS	6Gb/s	16	5		
				ST3600002FC	9FS004	600GB	FC	4Gb/s	16	5		
				ST3450802SS	9FR066	450GB	SAS	6Gb/s	16	5		
				ST3450802FC	9FR004	450GB	FC	4Gb/s	16	5		
				ST3300602FC	9FP004	300GB	FC	4Gb/s	16	5		

# Quick-Reference Guide

## ENTERPRISE DRIVES

Segment	Family Platform	RPM	Model Number	Part Number	AFR/MTBF	Capacity <sup>1</sup>	Interface	Cache (MB)	Warranty Limited (yrs)	Options						
2.5-INCH ENTERPRISE HDD	Performance	Savvio® 15K.3	15K	ST3000653SS	9SW066	0.44%/2.0M hrs	300GB	SAS	6Gb/s	64	5					
				ST3000553SS	9ZZ066		300GB	SAS	6Gb/s	64	5	Encryption <sup>2</sup>				
				ST9300453SS <sup>2,3</sup>	9XM066		300GB	SAS	6Gb/s	64	5	Encryption/FIPS Validated <sup>2,3</sup>				
				ST9146853SS	9SV066		146GB	SAS	6Gb/s	64	5					
				ST9146753SS	9ZY066		146GB	SAS	6Gb/s	64	5	Encryption <sup>2</sup>				
				ST9146653SS	9XL066		147GB	SAS	6Gb/s	64	5	Encryption/FIPS Validated <sup>2,3</sup>				
		Savvio 15K.2	15K	ST9146852SS	9FU066	0.55%/1.6M hrs	146GB	SAS	6Gb/s	16	5					
				ST9146752SS <sup>2</sup>	9LD066		146GB	SAS	6Gb/s	16	5	Encryption <sup>2</sup>				
				ST9146652SS <sup>2,3</sup>	9WZ066		146GB	SAS	6Gb/s	16	5	Encryption/FIPS Validated <sup>2,3</sup>				
				ST973452SS	9FT066		73GB	SAS	6Gb/s	16	5					
				ST973352SS <sup>2</sup>	9LC066		73GB	SAS	6Gb/s	16	5	Encryption <sup>2</sup>				
				ST973252SS <sup>2,3</sup>	9WY066		73GB	SAS	6Gb/s	16	5	Encryption/FIPS Validated <sup>2,3</sup>				
				Mainstream	Savvio 10K.5		10K	ST9900805SS	9TH066	0.44%/2.0M hrs	900GB	SAS	6Gb/s	64	5	
								ST9900705SS <sup>2</sup>	9VX066		900GB	SAS	6Gb/s	64	5	Encryption <sup>2</sup>
	ST9900605SS <sup>2,3</sup>	9XS066	900GB			SAS		6Gb/s	64		5					
	ST9900805FC	9TH004	900GB			FC		4Gb/s	64		5					
	ST9600205SS	9TG066	600GB			SAS		6Gb/s	64		5					
	ST9600105SS <sup>2</sup>	9VW066	600GB			SAS		6Gb/s	64		5	Encryption <sup>2</sup>				
	ST9600005SS <sup>2,3</sup>	9XR066	600GB			SAS		6Gb/s	64		5	Encryption/FIPS Validated <sup>2,3</sup>				
	ST9600205FC	9TG004	600GB			FC		4Gb/s	64		5					
	ST9450405SS	9TF066	450GB			SAS		6Gb/s	64		5					
	ST9450305SS <sup>2</sup>	9VW066	450GB			SAS		6Gb/s	64		5	Encryption <sup>2</sup>				
	ST9450405FC	9TF004	450GB			FC		4Gb/s	64		5					
	ST9300605SS	9TE066	300GB			SAS		6Gb/s	64		5					
	ST9300505SS <sup>2</sup>	9VU066	300GB			SAS		6Gb/s	64		5	Encryption <sup>2</sup>				
	ST9300405SS <sup>2,3</sup>	9XN066	300GB			SAS		6Gb/s	64		5	Encryption/FIPS Validated <sup>2,3</sup>				
	ST9300605FC	9TE004	300GB			FC		4Gb/s	64		5					
	Savvio 10K.4	10K	ST9600204SS			9PN066		0.44%/2.0M hrs	600GB		SAS	6Gb/s	16	5		
			ST9600104SS <sup>2</sup>			9PP066			600GB		SAS	6Gb/s	16	5	Encryption <sup>2</sup>	
			ST9600004SS <sup>2,3</sup>			9XD066			600GB		SAS	6Gb/s	16	5	Encryption/FIPS Validated <sup>2,3</sup>	
			ST9600204FC	9PN004	600GB	FC	4Gb/s		16	5						
			ST9450404SS	9PY066	450GB	SAS	6Gb/s		16	5						
ST9450304SS <sup>2</sup>			9PZ066	450GB	SAS	6Gb/s	16		5	Encryption <sup>2</sup>						
ST9450204SS <sup>2,3</sup>			9XC066	450GB	SAS	6Gb/s	16		5	Encryption/FIPS Validated <sup>2,3</sup>						
ST9450404FC			9PY004	450GB	FC	4Gb/s	16		5							
Low Power			Constellation.2™	7200	ST91000640NS	9RZ168	0.62%/1.4M hrs		1TB	SATA	6Gb/s	64	3			
					ST91000641NS <sup>2</sup>	9TR168			1TB	SATA	6Gb/s	64	3	Encryption <sup>2</sup>		
	ST91000642NS <sup>2,3</sup>	9XU168			1TB	SATA		6Gb/s	64	3	Encryption/FIPS Validated <sup>2,3</sup>					
	ST91000640SS	9RZ268			1TB	SAS		6Gb/s	64	3						
	ST91000641SS <sup>2</sup>	9TR268			1TB	SAS		6Gb/s	64	3	Encryption <sup>2</sup>					
	ST91000642SS <sup>2,3</sup>	9XU268			1TB	SAS		6Gb/s	64	3	Encryption/FIPS Validated <sup>2,3</sup>					
	ST9500620NS	9RZ164			500GB	SATA		6Gb/s	64	3						
	ST9500621NS <sup>2</sup>	9TR164			500GB	SATA		6Gb/s	64	3	Encryption <sup>2</sup>					
	ST9500622NS <sup>2,3</sup>	9XU164			500GB	SAS		6Gb/s	64	3	Encryption/FIPS Validated <sup>2,3</sup>					
	ST9500620SS	9RZ264			500GB	SATA		6Gb/s	64	3						
	ST9500621SS <sup>2</sup>	9TR264			500GB	SAS		6Gb/s	64	3	Encryption <sup>2</sup>					
	ST9500622SS <sup>2,3</sup>	9XU264			500GB	SAS		6Gb/s	64	3	Encryption/FIPS Validated <sup>2,3</sup>					
	ST9250610NS	9RZ162			250GB	SATA		6Gb/s	64	3						
	ST9250611NS <sup>2</sup>	9TR162			250GB	SATA		6Gb/s	64	3	Encryption <sup>2</sup>					
	ST9250612NS <sup>2,3</sup>	9XU162			250GB	SATA		6Gb/s	64	3	Encryption/FIPS Validated <sup>2,3</sup>					

# Quick-Reference Guide

## ENTERPRISE DRIVES

Segment	Family Platform	NAND Flash Type	Model Number	Part Number	AFR <sup>1</sup>	Capacity <sup>1</sup>	Interface	Full Drive Writes/Day <sup>4</sup>	Warranty Limited (yrs)	Options		
2.5-INCH ENTERPRISE SSD	Performance	Pulsar® XT.2	SLC	ST400FX0002	9XY281	0.44%	400	SAS	6Gb/s	35	5	
				ST400FX0012 <sup>2</sup>	9XZ281		400	SAS	6Gb/s	35	5	Encryption <sup>2</sup>
				ST200FX0002	9XY271		200	SAS	6Gb/s	35	5	
				ST100FX0002	9XY261		100	SAS	6Gb/s	35	5	
	Mainstream	Pulsar.2™	MLC	ST800FM0002	9XW282	0.44%	800	SAS	6Gb/s	10	5	
				ST800FM0012 <sup>2</sup>	9XX282		800	SAS	6Gb/s	10	5	Encryption <sup>2</sup>
				ST400FM0002	9XW272		400	SAS	6Gb/s	10	5	
				ST400FM0012	9XW172		400	SATA	6Gb/s	10	5	
				ST200FM0002	9XW262		200	SAS	6Gb/s	10	5	
				ST200FM0012	9XW162		200	SATA	6Gb/s	10	5	
				ST100FM0002	9XW252		100	SAS	6Gb/s	10	5	
				ST100FM0012	9XW152		100	SATA	6Gb/s	10	5	

1 One gigabyte, or GB, equals one billion bytes and one terabyte, or TB, equals one trillion bytes when referring to hard drive capacity.  
 2 Self-Encrypting Drives (SED) and FIPS 140-2 Validated drives are not available in all models or countries. May require TCG-compliant host or controller support.  
 3 See FIPS 140-2 Level 2 Certificate at <http://csrc.nist.gov/groups/STM/cmvp/documents/140-1/1401val2010.htm#1299>  
 4 Data provided is based on format at 512 bytes.

### New Seagate Model Number Key, Enterprise

## ST 500 NM 123 1

BRAND	CAPACITY	SEGMENT	ATTRIBUTES	GENERATION
2 letters ST = Seagate MX = Maxtor	2 to 4 digits 500 = 500GB 1000 = 1000GB Capacities >9999GB: 10 = 10TB 15 = 15TB	2 letters MM = Mission-Critical, 2.5-Inch, 10K MX = Mission-Critical, 2.5-Inch, 15K NM = Nearline, 3.5-Inch NX = Nearline, 2.5-Inch FM = SSD Mainstream FX = SSD Performance	3 digits, non-intelligent Varies as needed, for example: Interface RPM Cache SED	1 digit, intelligent 1 = 1st Generation 2 = 2nd Generation 3 = 3rd Generation

View a brief training presentation on how our model number format has changed at [www.brainshark.com/seagate/ModelNumber](http://www.brainshark.com/seagate/ModelNumber)



**Seagate Partner Program Members**  
 Visit the Sales Tools section to access the latest product roadmap, end-of-life schedule and product information. <http://spp.seagate.com>

**Distributors**  
<http://direct.seagate.com>

**EMEA SPP Support**  
 00-800-6890-8282

**US Sales Support**  
 1-800-SEAGATE or 1-405-324-4700

Visit [www.seagate.com](http://www.seagate.com) for more information or call 1-800-SEAGATE (1-800-732-4283) © 2012 Seagate Technology LLC. All rights reserved. Printed in USA. Seagate, Seagate Technology and the Wave logo are registered trademarks of Seagate Technology LLC in the United States and/or other countries. Cheetah, Constellation.2, Pulsar, Pulsar.2 and Savvio are either trademarks or registered trademarks of Seagate Technology LLC or one of its affiliated companies in the United States and/or other countries. The FIPS logo is a certification mark of NIST, which does not imply product endorsement by NIST, the U.S., or Canadian governments. All other trademarks or registered trademarks are the property of their respective owners. When referring to drive capacity, one gigabyte, or GB, equals one billion bytes and one terabyte, or TB, equals one trillion bytes. Your computer's operating system may use a different standard of measurement and report a lower capacity. In addition, some of the listed capacity is used for formatting and other functions, and thus will not be available for data storage. Actual data rates may vary depending on operating environment and other factors. The export or re-export of hardware or software containing encryption may be regulated by the U.S. Department of Commerce, Bureau of Industry and Security (for more information, visit [www.bis.doc.gov](http://www.bis.doc.gov)). Seagate reserves the right to change, without notice, product offerings or specifications. QR501.14-1202US, February 2012