

Quick-Reference Guide

ENTERPRISE DRIVES



Segment	Family Platform	RPM	Model Number	Part Number	Max Sust Data Rate (MB/s)	Capacity ¹	Interface	Cache (MB)	Warranty Limited (yrs)	Options		
3.5-INCH ENTERPRISE HDD	Performance	Cheetah® 15K	15K	ST3600057SS	9FN066	122 to 204	600GB	SAS	6Gb/s	16	5	
				ST3600957SS ²	9PX066	122 to 204	600GB	SAS	6Gb/s	16	5	Encryption ²
				ST3600857SS ^{2,3}	9XJ066	122 to 204	600GB	SAS	6Gb/s	16	5	Encryption/FIPS Validated ^{2,3}
				ST3600057FC	9FN004	122 to 204	600GB	FC	4Gb/s	16	5	
				ST3450857SS	9FM066	122 to 204	450GB	SAS	6Gb/s	16	5	
				ST3450757SS ²	9PW066	122 to 204	450GB	SAS	4Gb/s	16	5	Encryption ²
				ST3450657SS ^{2,3}	9XH066	122 to 204	450GB	SAS	6Gb/s	16	5	Encryption/FIPS Validated ^{2,3}
				ST3450857FC	9FM004	122 to 204	450GB	FC	4Gb/s	16	5	
				ST3300657SS	9FL066	122 to 204	300GB	SAS	6Gb/s	16	5	
				ST3300557SS ²	9PV066	122 to 204	300GB	SAS	6Gb/s	16	5	Encryption ²
				ST3300457SS ^{2,3}	9XG066	122 to 204	300GB	SAS	6Gb/s	16	5	Encryption/FIPS Validated ^{2,3}
				ST3300657FC	9FL004	122 to 204	300GB	FC	4Gb/s	16	5	
	Mainstream	Constellation® ES.3	7200	ST4000NM0023	9ZM270	175	4TB	SAS	6Gb/s	128	5	
				ST4000NM0033	9ZM170	175	4TB	SATA	6Gb/s	128	5	
				ST4000NM0043 ²	1C1270	175	4TB	SAS	6Gb/s	128	5	Encryption ²
				ST4000NM0053 ²	1C1170	175	4TB	SATA	6Gb/s	128	5	Encryption ²
				ST4000NM0063 ^{2,3}	1C2270	175	4TB	SAS	6Gb/s	128	5	Encryption/FIPS Validated (in review) ^{2,3}
				ST3000NM0023	9ZM278	175	3TB	SAS	6Gb/s	128	5	
				ST3000NM0033	9ZM178	175	3TB	SATA	6Gb/s	128	5	
				ST3000NM0043 ²	1C1278	175	3TB	SAS	6Gb/s	128	5	Encryption ²
				ST3000NM0053 ²	1C1178	175	3TB	SATA	6Gb/s	128	5	Encryption ²
				ST3000NM0063 ^{2,3}	1C2278	175	3TB	SAS	6Gb/s	128	5	Encryption/FIPS Validated (in review) ^{2,3}
				ST2000NM0023	9ZM275	175	2TB	SAS	6Gb/s	128	5	
				ST2000NM0033	9ZM175	175	2TB	SATA	6Gb/s	128	5	
				ST2000NM0043 ²	1C1275	175	2TB	SAS	6Gb/s	128	5	Encryption ²
				ST2000NM0053 ²	1C1175	175	2TB	SATA	6Gb/s	128	5	Encryption ²
				ST2000NM0063 ^{2,3}	1C2275	175	2TB	SAS	6Gb/s	128	5	Encryption/FIPS Validated (in review) ^{2,3}
				ST1000NM0023	9ZM273	175	1TB	SAS	6Gb/s	128	5	
				ST1000NM0033	9ZM173	175	1TB	SATA	6Gb/s	128	5	
				ST1000NM0043 ²	1C1273	175	1TB	SAS	6Gb/s	128	5	Encryption ²
				ST1000NM0053 ²	1C1173	175	1TB	SATA	6Gb/s	128	5	Encryption ²
				ST1000NM0063 ^{2,3}	1C2273	175	1TB	SAS	6Gb/s	128	5	Encryption/FIPS Validated (in review) ^{2,3}
Constellation ES.2		7200	ST33000650NS	95M160	155	3TB	SATA	6Gb/s	64	5		
			ST33000651NS ²	9XK160	155	3TB	SATA	6Gb/s	64	5	Encryption ²	
			ST33000652NS ^{2,3}	9XT160	155	3TB	SATA	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}	
			ST33000650SS	9SM260	155	3TB	SAS	6Gb/s	64	5		
			ST33000651SS ²	9XK260	155	3TB	SAS	6Gb/s	64	5	Encryption ²	
			ST33000652SS ^{2,3}	9XT260	155	3TB	SAS	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}	
			ST32000645NS	9SM167	155	2TB	SATA	6Gb/s	64	5		
			ST32000646NS ²	9XK167	155	2TB	SATA	6Gb/s	64	5	Encryption ²	
			ST32000647NS ^{2,3}	9XT167	155	2TB	SATA	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}	
			ST32000645SS	9SM267	155	2TB	SAS	6Gb/s	64	5		
ST32000646SS ²	9XK267	155	2TB	SAS	6Gb/s	64	5	Encryption ²				
ST32000647SS ^{2,3}	9XT267	155	2TB	SAS	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}				

Quick-Reference Guide

ENTERPRISE DRIVES

Segment	Family Platform	RPM	Model Number	Part Number	Max Sust Data Rate (MB/s)	Capacity ¹	Interface	Cache (MB)	Warranty Limited (yrs)	Options		
3.5-INCH ENTERPRISE HDD	Mainstream	Constellation ES	7200	ST2000NM0011	9YZ168	140	2TB	SATA	6Gb/s	64	5	
				ST2000NM0031 ²	1A9168	140	2TB	SATA	6Gb/s	64	5	Encryption ²
				ST2000NM0051 ^{2,3}	1AV168	140	2TB	SATA	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}
				ST2000NM0001	9YZ268	150	2TB	SAS	6Gb/s	64	5	
				ST2000NM0021 ²	1A9268	150	2TB	SAS	6Gb/s	64	5	Encryption ²
				ST2000NM0041 ^{2,3}	1AV268	150	2TB	SAS	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}
				ST1000NM0011	9YZ164	140	1TB	SATA	6Gb/s	64	5	
				ST1000NM0031 ²	1A9164	140	1TB	SATA	6Gb/s	64	5	Encryption ²
				ST1000NM0051 ^{2,3}	1AV164	140	1TB	SATA	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}
				ST1000NM0001	9YZ264	150	1TB	SAS	6Gb/s	64	5	
				ST1000NM0021 ²	1A9264	150	1TB	SAS	6Gb/s	64	5	Encryption ²
				ST1000NM0041 ^{2,3}	1AV264	150	1TB	SAS	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}
				ST500NM0011	9YZ162	140	500GB	SATA	6Gb/s	64	5	
				ST500NM0031 ²	1A9162	140	500GB	SATA	6Gb/s	64	5	Encryption ²
		ST500NM0051 ^{2,3}	1AV162	140	500GB	SATA	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}		
		ST500NM0001	9YZ262	150	500GB	SAS	6Gb/s	64	5			
		ST500NM0021 ²	1A9262	150	500GB	SAS	6Gb/s	64	5	Encryption ²		
		ST500NM0041 ^{2,3}	1AV262	150	500GB	SAS	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}		
		Constellation CS	7200	ST3000NC002	1DY166	150 to 180	3TB	SATA	6Gb/s	64	3	
				ST3000NC000 ²	1CX166	150 to 180	3TB	SATA	6Gb/s	64	3	Seagate Instant Secure Erase (SED) ²
				ST2000NC001	1DY164	150 to 180	2TB	SATA	6Gb/s	64	3	
				ST2000NC000 ²	1CX164	150 to 180	2TB	SATA	6Gb/s	64	3	Seagate Instant Secure Erase (SED) ²
ST1000NC001	1DY162			150 to 180	1TB	SATA	6Gb/s	64	3			
ST1000NC000 ²	1CX162			150 to 180	1TB	SATA	6Gb/s	64	3	Seagate Instant Secure Erase (SED) ²		

Quick-Reference Guide

ENTERPRISE DRIVES

Segment	Family Platform	RPM	Model Number	Part Number	Max Sust Data Rate (MB/s)	Capacity ¹	Interface	Cache (MB)	Warranty Limited (yrs)	Options					
2.5-INCH ENTERPRISE HDD	Performance	Savvio® 15K.3	15K	ST3000653SS	9SW066	151 to 202	300GB	SAS	6Gb/s	64	5				
				ST3000553SS	9ZZ066	151 to 202	300GB	SAS	6Gb/s	64	5	Encryption ²			
				ST9300453SS ^{2,3}	9XM066	151 to 202	300GB	SAS	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}			
				ST9146853SS	9SV066	151 to 202	146GB	SAS	6Gb/s	64	5				
				ST9146753SS	9ZY066	151 to 202	146GB	SAS	6Gb/s	64	5	Encryption ²			
				ST9146653SS	9XL066	151 to 202	147GB	SAS	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}			
		Savvio 15K.2	15K	ST9146852SS	9FU066	151 to 202	146GB	SAS	6Gb/s	16	5				
				ST9146752SS ²	9LD066	151 to 202	146GB	SAS	6Gb/s	16	5	Encryption ²			
				ST9146652SS ^{2,3}	9WZ066	151 to 202	146GB	SAS	6Gb/s	16	5	Encryption/FIPS Validated ^{2,3}			
				ST973452SS	9FT066	122 to 160	73GB	SAS	6Gb/s	16	5				
				ST973352SS ²	9LC066	122 to 160	73GB	SAS	6Gb/s	16	5	Encryption ²			
				ST973252SS ^{2,3}	9WY066	122 to 160	73GB	SAS	6Gb/s	16	5	Encryption/FIPS Validated ^{2,3}			
	Mainstream	Savvio 10K.6	10K	ST900MM0026 ²	9WM066	125 to 204	900GB	SAS	6Gb/s	64	5	Encryption ²			
				ST600MM0026 ²	9WL066	125 to 204	600GB	SAS	6Gb/s	64	5	Encryption ²			
				ST450MM0026 ²	9WK066	125 to 204	450GB	SAS	6Gb/s	64	5	Encryption ²			
				ST300MM0026 ²	9WJ066	125 to 204	300GB	SAS	6Gb/s	64	5	Encryption ²			
				ST900MM0036 ^{2,3}	1C9066	125 to 204	900GB	SAS	6Gb/s	64	5	Encryption/FIPS Validated (in review) ^{2,3}			
				Savvio 10K.5	10K	ST9900805SS	9TH066	93 to 168	900GB	SAS	6Gb/s	64	5		
		ST9900705SS ²	9VX066			93 to 168	900GB	SAS	6Gb/s	64	5	Encryption ²			
		ST9900605SS ^{2,3}	9XS066			93 to 168	900GB	SAS	6Gb/s	64	5				
		ST9900805FC	9TH004			93 to 168	900GB	FC	4Gb/s	64	5				
		ST9600205SS	9TG066			93 to 168	600GB	SAS	6Gb/s	64	5				
		ST9600105SS ²	9VW066			93 to 168	600GB	SAS	6Gb/s	64	5	Encryption ²			
		ST9600005SS ^{2,3}	9XR066			93 to 168	600GB	SAS	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}			
		ST9600205FC	9TG004			93 to 168	600GB	FC	4Gb/s	64	5				
		ST9450405SS	9TF066			93 to 168	450GB	SAS	6Gb/s	64	5				
		ST9450305SS ²	9VW066			93 to 168	450GB	SAS	6Gb/s	64	5	Encryption ²			
		ST9450205SS ^{2,3}	9XP066			93 to 168	450GB	SAS	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}			
		ST9450405FC	9TF004			93 to 168	450GB	FC	4Gb/s	64	5				
		ST9300605SS	9TE066			93 to 168	300GB	SAS	6Gb/s	64	5				
		ST9300505SS ²	9VU066			93 to 168	300GB	SAS	6Gb/s	64	5	Encryption ²			
		ST9300405SS ^{2,3}	9XN066			93 to 168	300GB	SAS	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}			
		ST9300605FC	9TE004			93 to 168	300GB	FC	4Gb/s	64	5				
		Low Power	Constellation.2™			7200	ST91000640NS	9RZ168	115	1TB	SATA	6Gb/s	64	5	
							ST91000641NS ²	9TR168	115	1TB	SATA	6Gb/s	64	5	Encryption ²
				ST91000642NS ^{2,3}	9XU168		115	1TB	SATA	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}		
ST91000640SS	9RZ268			115	1TB		SAS	6Gb/s	64	5					
ST91000641SS ²	9TR268			115	1TB		SAS	6Gb/s	64	5	Encryption ²				
ST91000642SS ^{2,3}	9XU268			115	1TB		SAS	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}				
ST9500620NS	9RZ164			115	500GB		SATA	6Gb/s	64	5					
ST9500621NS ²	9TR164			115	500GB		SATA	6Gb/s	64	5	Encryption ²				
ST9500622NS ^{2,3}	9XU164			115	500GB		SAS	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}				
ST9500620SS	9RZ264			115	500GB		SATA	6Gb/s	64	5					
ST9500621SS ²	9TR264			115	500GB		SAS	6Gb/s	64	5	Encryption ²				
ST9500622SS ^{2,3}	9XU264			115	500GB		SAS	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}				
ST9250610NS	9RZ162			115	250GB		SATA	6Gb/s	64	5					
ST9250611NS ²	9TR162			115	250GB		SATA	6Gb/s	64	5	Encryption ²				
ST9250612NS ^{2,3}	9XU162			115	250GB		SATA	6Gb/s	64	5	Encryption/FIPS Validated ^{2,3}				

Quick-Reference Guide

ENTERPRISE DRIVES

Segment	Family Platform	NAND Flash Type	Model Number	Part Number	AFR ¹	Capacity ¹	Interface	Full Drive Writes/Day ⁴	Warranty Limited (yrs)	Options		
2.5-INCH ENTERPRISE SSD	Mainstream	Pulsar.2™	MLC	ST800FM0002	9XW282	0.44%	800GB	SAS	6Gb/s	10	5	
				ST800FM0012 ²	9XX282		800GB	SAS	6Gb/s	10	5	Encryption ²
				ST400FM0002	9XW272		400GB	SAS	6Gb/s	10	5	
				ST400FM0012	9XW172		400GB	SATA	6Gb/s	10	5	
				ST200FM0002	9XW262		200GB	SAS	6Gb/s	10	5	
				ST200FM0012	9XW162		200GB	SATA	6Gb/s	10	5	
				ST100FM0002	9XW252		100GB	SAS	6Gb/s	10	5	
				ST100FM0012	9XW152		100GB	SATA	6Gb/s	10	5	

1 One gigabyte, or GB, equals one billion bytes and one terabyte, or TB, equals one trillion bytes when referring to hard drive capacity.
 2 Self-Encrypting Drives (SED) and FIPS 140-2 Validated drives are not available in all models or countries. May require TCG-compliant host or controller support.
 3 See FIPS 140-2 Level 2 Certificate at <http://csrc.nist.gov/groups/STM/cmvp/documents/140-1/1401val2010.htm#1299>
 4 Data provided is based on format at 512 bytes.

New Seagate Model Number Key, Enterprise

ST 500 NM 123 1

BRAND	CAPACITY	SEGMENT	ATTRIBUTES	GENERATION
<p><i>2 letters</i></p> <p>ST = Seagate</p> <p>MX = Maxtor</p>	<p><i>2 to 4 digits</i></p> <p>500 = 500GB</p> <p>1000 = 1000GB</p> <p>Capacities >9999GB:</p> <p>10 = 10TB</p> <p>15 = 15TB</p>	<p><i>2 letters</i></p> <p>MM = Mission-Critical, 2.5-Inch, 10K</p> <p>MX = Mission-Critical, 2.5-Inch, 15K</p> <p>NM = Nearline, 3.5-Inch</p> <p>NX = Nearline, 2.5-Inch</p> <p>FM = SSD Mainstream</p> <p>FX = SSD Performance</p>	<p><i>3 digits, non-intelligent</i></p> <p>Varies as needed, for example:</p> <p>Interface</p> <p>RPM</p> <p>Cache</p> <p>SED</p>	<p><i>1 digit, intelligent</i></p> <p>1 = 1st Generation</p> <p>2 = 2nd Generation</p> <p>3 = 3rd Generation</p>

View a brief training presentation on how our model number format has changed at www.brainshark.com/seagate/ModelNumber



<p>Seagate Partner Program Members</p> <p>Visit the Sales Tools section to access the latest product roadmap, end-of-life schedule and product information. http://spp.seagate.com</p>	<p>Distributors</p> <p>http://direct.seagate.com</p>	<p>EMEA SPP Support</p> <p>00-800-6890-8282</p>	<p>US Sales Support</p> <p>1-800-SEAGATE or 1-405-324-4700</p>
--	---	--	---

Visit www.seagate.com for more information or call 1-800-SEAGATE (1-800-732-4283) © 2012 Seagate Technology LLC. All rights reserved. Printed in USA. Seagate, Seagate Technology and the Wave logo are registered trademarks of Seagate Technology LLC in the United States and/or other countries. Cheetah, Constellation.2, Pulsar, Pulsar.2 and Savvio are either trademarks or registered trademarks of Seagate Technology LLC or one of its affiliated companies in the United States and/or other countries. The FIPS logo is a certification mark of NIST, which does not imply product endorsement by NIST, the U.S., or Canadian governments. All other trademarks or registered trademarks are the property of their respective owners. When referring to drive capacity, one gigabyte, or GB, equals one billion bytes and one terabyte, or TB, equals one trillion bytes. Your computer's operating system may use a different standard of measurement and report a lower capacity. In addition, some of the listed capacity is used for formatting and other functions, and thus will not be available for data storage. Actual data rates may vary depending on operating environment and other factors. The export or re-export of hardware or software containing encryption may be regulated by the U.S. Department of Commerce, Bureau of Industry and Security (for more information, visit www.bis.doc.gov). Seagate reserves the right to change, without notice, product offerings or specifications. QR501.18-1211US, November 2012