



LACIE 2big Dock

PROFESSIONAL DUAL-DISK
HARDWARE RAID

Data Sheet

Product Overview

Perfect for PC, iPad USB-C, and MAC — LaCie® 2big Dock is a desktop RAID that comes loaded with massive storage and speeds up to 550 MB/s. Compatible with USB4, USB 3.2, USB 3.0, and Thunderbolt 4, the dual Thunderbolt 3 ports can daisy chain up to five Thunderbolt devices. Plus, it comes with hot-swappable IronWolf Pro enterprise-class drives for long-term performance.

Product Features

- Features up to 48 TB of capacity and speeds of up to 550 MB/s
- Stay connected with CFexpress B, CFast 2.0, and SD card slots, a USB 3.2 Type A hub port, and a DisplayPort 1.4
- Dual Thunderbolt 3 ports daisy chain up to 5 devices
- Easily configure RAID 0/1 optimal system performance and data redundancy
- Works with Windows, iPad USB-C and Mac
- Connect or charge USB devices with the front USB 3.2 Gen 2 Type A hub port
- Thunderbolt and DisplayPort 1.4 allow you to connect two 4k monitors or one 8k monitor
- Equipped with hot-swappable IronWolf Pro enterprise-class drives for ultimate reliability
- Backed by industry-leading 5-year limited warranty with Rescue Data Recovery Services plan¹

- 1-month complimentary membership to Adobe® Creative Cloud® All Apps plan²

design by neil poulton

¹ Rescue Data Recovery Services not available in all countries.

² One-month membership to Adobe Creative Cloud All Apps plan is redeemable during product registration. Must redeem within one month of drive registration. Not available in China. For country list see <https://adobe.ly/cc-countries>. Internet connection and Adobe ID required. Available to users 13 and older. See www.adobe.com/legal.html for applicable terms and privacy policy.





LaCie 2big Dock

PROFESSIONAL DUAL-DISK HARDWARE RAID



| Specifications | | | | |
|---------------------------|--------------------|--------------------|--------------------------|-----------------------|
| Capacity 16 TB | Product Dimensions | Box Dimensions | Master Carton Dimensions | Pallet Dimensions |
| Length (in/mm) | 8.543 in/217 mm | 7.087 in/180 mm | 14.331 in/364 mm | 47.992 in/1219 mm |
| Width (in/mm) | 4.646 in/118 mm | 11.890 in/302 mm | 11.969 in/304 mm | 40.00 in/1016 mm |
| Height (in/mm) | 6.673 in/93.3 mm | 9.409 in/239 mm | 9.606 in/244 mm | 46.260 in/1175 mm |
| Weight (lb/kg) | 8.671 lb/3.933 kg | 10.042 lb/4.555 kg | 21.383 lb/9.699 kg | 828.197 lb/375.664 kg |
| Capacity 20 TB | Product Dimensions | Box Dimensions | Master Carton Dimensions | Pallet Dimensions |
| Length (in/mm) | 8.543 in/217 mm | 7.087 in/180 mm | 14.331 in/364 mm | 47.992 in/1219 mm |
| Width (in/mm) | 4.646 in/118 mm | 11.890 in/302 mm | 11.969 in/304 mm | 40.00 in/1016 mm |
| Height (in/mm) | 6.673 in/93.3 mm | 9.409 in/239 mm | 9.606 in/244 mm | 46.260 in/1175 mm |
| Weight (lb/kg) | 8.338 lb/3.782 kg | 8.819 lb/4 kg | 20.717 lb/9.397 kg | 804.229 lb/364.792 kg |
| Capacity 28 TB | Product Dimensions | Box Dimensions | Master Carton Dimensions | Pallet Dimensions |
| Length (in/mm) | 8.543 in/217 mm | 7.087 in/180 mm | 14.331 in/364 mm | 47.992 in/1219 mm |
| Width (in/mm) | 4.646 in/118 mm | 11.890 in/302 mm | 11.969 in/304 mm | 40.00 in/1016 mm |
| Height (in/mm) | 6.673 in/93.3 mm | 9.409 in/239 mm | 9.606 in/244 mm | 46.260 in/1175 mm |
| Weight (lb/kg) | 8.404 lb/3.812 kg | 9.775 lb/4.434 kg | 20.849 lb/9.457 kg | 808.99 lb/366.952 kg |
| Capacity 32 TB | Product Dimensions | Box Dimensions | Master Carton Dimensions | Pallet Dimensions |
| Length (in/mm) | 8.543 in/217 mm | 7.087 in/180 mm | 14.331 in/364 mm | 47.992 in/1219 mm |
| Width (in/mm) | 4.646 in/118 mm | 11.890 in/302 mm | 11.969 in/304 mm | 40.00 in/1016 mm |
| Height (in/mm) | 6.673 in/93.3 mm | 9.409 in/239 mm | 9.606 in/244 mm | 46.260 in/1175 mm |
| Weight (lb/kg) | 8.397 lb/3.809 kg | 9.769 lb/4.431 kg | 20.838 lb/9.452 kg | 808.594 lb/366.772 kg |
| Capacity 36 TB | Product Dimensions | Box Dimensions | Master Carton Dimensions | Pallet Dimensions |
| Length (in/mm) | 8.543 in/217 mm | 7.087 in/180 mm | 14.331 in/364 mm | 47.992 in/1219 mm |
| Width (in/mm) | 4.646 in/118 mm | 11.890 in/302 mm | 11.969 in/304 mm | 40.00 in/1016 mm |
| Height (in/mm) | 6.673 in/93.3 mm | 9.409 in/239 mm | 9.606 in/244 mm | 46.260 in/1175 mm |
| Weight (lb/kg) | 8.455 lb/3.835 kg | 9.826 lb/4.457 kg | 20.95 lb/9.503 kg | 812.642 lb/368.608 kg |
| Capacity 40 TB | Product Dimensions | Box Dimensions | Master Carton Dimensions | Pallet Dimensions |
| Length (in/mm) | 8.543 in/217 mm | 7.087 in/180 mm | 14.331 in/364 mm | 47.992 in/1219 mm |
| Width (in/mm) | 4.646 in/118 mm | 11.890 in/302 mm | 11.969 in/304 mm | 40.00 in/1016 mm |
| Height (in/mm) | 6.673 in/93.3 mm | 9.409 in/239 mm | 9.606 in/244 mm | 46.260 in/1175 mm |
| Weight (lb/kg) | 8.510 lb/3.86 kg | 9.88 lb/4.482 kg | 21.061 lb/9.553 kg | 816.610 lb/370.408 kg |
| Capacity 48 TB | Product Dimensions | Box Dimensions | Master Carton Dimensions | Pallet Dimensions |
| Length (in/mm) | 8.543 in/217 mm | 7.087 in/180 mm | 14.331 in/364 mm | 47.992 in/1219 mm |
| Width (in/mm) | 4.646 in/118 mm | 11.890 in/302 mm | 11.969 in/304 mm | 40.00 in/1016 mm |
| Height (in/mm) | 6.673 in/93.3 mm | 9.409 in/239 mm | 9.606 in/244 mm | 46.260 in/1175 mm |
| Weight (lb/kg) | 8.510 lb/3.86 kg | 9.88 lb/4.482 kg | 21.061 lb/9.553 kg | 816.610 lb/370.408 kg |
| Quantities | | | | |
| Boxes per Master Carton | 2 | | | |
| Master Cartons per Pallet | 36 | | | |
| Pallet Layers | 4 | | | |

| System Requirements | What's Included |
|---------------------|-----------------|
|---------------------|-----------------|

- Interface: Thunderbolt 3 + USB 3.1 (THUNDERBOLT 3 + USB 3.1)
- Works With USB-C host: USB4, USB 3.0, Thunderbolt™ 4, Thunderbolt™ 3
- Compatible with most Windows, macOS systems, and iPad USB-C. Visit laCie.com/os for details^{1 2}
- LaCie® 2Big Dock
- USB-C cable
- External power supply
- Quick Installation Guide
- ADOBE CC®SRS60®TOOLKIT
- Rescue Data Recovery Services⁴

| Region | Ordering Model Number | Capacity | Color | Limited Warranty (years) | UPC Code | EAN Code | Multi-Pack UPC |
|--------|-----------------------|----------|-------|--------------------------|--------------|---------------|----------------|
| WW | STLG16000400 | 16TB | Black | 5 | 763649170199 | 8719706042437 | 10763649170196 |
| WW | STLG20000400 | 20TB | Black | 5 | 763649170205 | 8719706042444 | 10763649170202 |
| WW | STLG28000400 | 28TB | Black | 5 | 763649170212 | 8719706042451 | 10763649170219 |
| WW | STLG32000400 | 32TB | Black | 5 | 763649170229 | 8719706042468 | 10763649170226 |
| WW | STLG36000400 | 36TB | Black | 5 | 763649170236 | 8719706042475 | 10763649170233 |
| WW | STLG40000400 | 40TB | Black | 5 | 763649173435 | 8719706043236 | 10763649173432 |
| WW | STLG48000400 | 48TB | Black | 5 | 763649182147 | 8719706045087 | 10763649182144 |

1 Reformatting may be required for use with Time Machine

2 Compatibility may vary depending on user's hardware configuration and operating system.

3 One-month membership to Adobe Creative Cloud All Apps plan is redeemable during product registration. Must redeem within one year of drive registration. Not available in China. For country list see <https://adobe.ly/cc-countries>. Internet connection and Adobe ID required. Available only to users 13 and older. See www.adobe.com/legal.html for applicable terms and privacy policy.

4 Not available in all countries

LACIE.COM

© 2024 Seagate Technology LLC. All rights reserved. Seagate, Seagate Technology, LaCie, and the LaCie logo are registered trademarks of Seagate Technology LLC in the United States and/or other countries. All other trademarks or registered trademarks are the property of their respective owners. When referring to drive capacity, one gigabyte, or GB, equals one billion bytes and one terabyte, or TB, equals one trillion bytes. Your computer's operating system may use a different standard of measurement and report a lower capacity. In addition, some of the listed capacity is used for formatting and other functions, and thus will not be available for data storage. Quantitative usage examples for various applications are for illustrative purposes. Actual quantities will vary based on various factors, including file size, file format, features, and application software. Actual data rates may vary depending on operating environment and other factors, such as chosen interface and disk capacity. Seagate reserves the right to change, without notice, product offerings or specifications. DS2100.3-2412US