



Data Sheet

Spider-Man Drive Special Edition FireCuda External Hard Drive Powerful. Nimble. Heroic.





Swing into action with the officially licensed Spider-Man Drive. The design of this Special Edition FireCuda External Hard Drive features the power and resilience of Peter Parker himself and gives your collection a burst of color thanks to white LED lighting. Plus, with its large capacity, you can capture a wide web of games, files, and media.

Key Features

This external hard drive is inspired by the world of Spider-Man.

This drive's design is outfitted with the power and resilience of Peter Parker himself.

White LED lighting gives the drive an added burst of color.

Light up the atmosphere with built-in, customizable LED RGB lighting.¹

Works with PC, Mac, PlayStation, and Xbox.²

A bold design to complement the Marvel-themed collection in your office, living room, or gaming battlestation.

With up to 2TB of capacity, you can capture a wide web of games, files, and media.

Lightweight design makes it easy to take the whole library on the road.

USB 3.2 Gen 1 bus-powered for simple plug-and-play compatibility and less clutter.

Enjoy peace of mind with our industry leading 1-year warranty and 1-year Rescue Data Recovery Services.

1 PC required to set RGB color and light pattern using free Seagate Toolkit software. 2 Visit <u>seagate.com/os</u> for details.





Spider-Man Drive

Special Edition FireCuda External Hard Drive

Powerful. Nimble. Heroic.

RegionAMERModelSTKL200417UPC CodeSTKL200417UPC Code763649176351With-Pack UPC0.763649176356EAN Code8719706043984Patability8Rescue Data Recovery Services1Waranty, Linited (years)1Product Dimensions1Urgen (yimm)0.5711014.5mmHeight (n/mm)0.5711014.5mmHeight (n/mm)0.5711014.5mmHeight (h/mm)0.5711014.5mmHeight (h/mm)0.5711014.5mmHeight (h/mm)0.5711014.5mmHeight (h/mm)0.5711014.5mmHeight (h/mm)0.5711014.5mmHeight (h/mm)0.57110113.5mmHeight (h/mm)0.54110173.5mmHeight (h/mm)0.54110173.5mmHeight (h/mm)0.54110137.5mmHeight (h/mm)0.54110137.5mmHeight (h/mm)0.542101286.700Mitch (h/mm)0.542101286.700Height (h/mm)0.54311138.5mmHeight	Specifications	2TB				
UPC Code 763649176351 Multi-Rack UPC 10763949176358 EAN Code 8719706043984 Reliability 1 Rescue Data Recovery Services 1 Warrany, Limited (years) 1 Product Dimensions 0.571in/14.5mm Width (in/mm) 0.51in/14.5mm Width (in/mm) 0.51in/14.5mm Weight (b/kg) 0.315in/80mm Height (in/mm) 0.315in/80mm Height (in/mm) 1.53in/39mm Weight (b/kg) 0.38bin/32.5mm Bescul Dimensions 1 Length (in/mm) 1.53in/39mm Weight (b/kg) 0.585kin/12.5mm Weight (b/kg) 0.585kin/22.5mg Master Carton Dimensions 0.585kin/27.5mg Length (in/mm) 5.21in/137.5mm Weight (b/kg) 0.585kin/27.5mg Weight (b/kg) 0.585kin/27.5mg Master Carton Dimensions 0.521in/139mm Length (in/mm) 5.22in/158mm Weight (b/kg) 2.672bi/1.212kg Paled Dimensions 1		AMER				
Multi-Pack UPC 10763648176358 EAN Code 8719706043984 Reliability 1 Rescue Data Recovery Services 1 Warrahy, Linited (years) 1 Product Dimensions 0.571in/14.5mm Length (in/mm) 0.571in/14.5mm Width (in/mm) 0.571in/14.5mm Weight (bi/kg) 0.368bi/0.167kg Retail Eox Dimensions 0.368bi/0.167kg Retail Eox Dimensions 1 Length (in/mm) 4.823in/122.5mm Weight (bi/kg) 0.368bi/0.167kg Retail Eox Dimensions 1 Length (in/mm) 5.41in/137.5mm Height (in/mm) 5.41in/137.5mm Height (in/mm) 6.22n/158mm Width (in/mm) 6.22n/158mm Width (in/mm) 6.22n/158mm Weight (bi/kg) 2.672bi/1.212kg Pater Dimensions 2.672bi/1.212kg Length (in/mm) 40.03in/1017mm Weight (bi/kg) 3.37ni/958mm Weight (bi/kg) 3.37ni/958mm Weight (bi/kg) 3.37ni/958mm	Model	STKL2000417				
EAN Code 8719706043984 Reliability 1 Rescue Data Recovery Services 1 Warranty, Limited (years) 1 Poduct Dimensions 0.571 in/14.5mm Length (in/mm) 0.571 in/14.5mm Width (in/mm) 0.571 in/14.5mm Height (in/mm) 0.571 in/14.5mm Width (in/mm) 0.571 in/14.5mm Height (in/mm) 0.571 in/14.5mm Weight (bi/kg) 0.5810/0.77kg Retail Box Dimensions 0.8810/0.167kg Elength (in/mm) 1.53in/39mm Width (in/mm) 5.41in/137.5mm Height (bi/kg) 0.58210/0.270kg Master Carton Dimensions 0.42210/128.5mm Length (in/mm) 6.2210/158mm Width (in/mm) 5.4710/139.5mm Weight (bi/kg) 2.67210/1.212kg Palet Dimensions 0.267210/1.212kg Length (in/mm) 4.0301/1017mm Weight (bi/kg) 2.67210/1.212kg Palet Dimensions 1 Length (in/mm) 40.031/1017mm Weight (bi/kg) 589.92510/	UPC Code	763649176351				
Reliability Instrume Rescue Data Recovery Services 1 Warrany, Limited (years) 1 Product Dimensions 0.571 in/14.5mm Lingth (in/mm) 0.571 in/14.5mm Width (in/mm) 0.571 in/14.5mm Width (in/mm) 0.571 in/14.5mm Width (in/mm) 0.571 in/14.5mm Width (in/mm) 0.571 in/14.5mm Height (in/mm) 0.571 in/14.5mm Weight (lokg) 0.388b/0.187kg Retail Box Dimensions 0.388b/0.187kg Length (in/mm) 1.53in/39mm Width (in/mm) 5.41 in/137.5mm Weight (lokg) 0.5852b/0.270kg Master Carton Dimensions 0.552b/0.270kg Length (in/mm) 6.22 in/158.5mm Width (in/mm) 6.22 in/158.5mm Weight (lokg) 2.67 in/113.7mm Weight (lokg)	Multi-Pack UPC	10763649176358				
Rescue Data Recovery Services 1 Warranty, Limited (years) 1 Product Dimensions 0.571in/14.5mm Length (in/mm) 0.571in/14.5mm Width (in/mm) 3.15in/30mm Height (in/mm) 0.4823in/122.5mm Weight (br/kg) 0.368lb/0.167kg Retail Box Dimensions 1 Length (in/mm) 1.53in/39mm Weight (br/kg) 0.558lb/0.167kg Retail Box Dimensions 1 Length (in/mm) 5.41in/137.5mm Weight (br/kg) 0.558lb/0.270kg Master Carton Dimensions 0.558lb/0.270kg Length (in/mm) 6.22in/158mm Weight (br/kg) 0.563lb/0.270kg Master Carton Dimensions 1 Length (in/mm) 6.22in/158mm Weight (br/kg) 2.672lb/1.212kg Paled Dimensions 1 Length (in/mm) 40.03in/1017mm Weight (br/kg) 3.77in/368mm Paled Dimensions 3.77in/368mm Length (in/mm) 3.77in/368mm Weight (br/kg) 5.89.8925lb/271.66	EAN Code	8719706043984				
Waranty, Limited (years) 1 Product Dimensions 0.571 in/14.5mm Length (in/mm) 0.571 in/14.5mm Width (in/mm) 3.15 in/80mm Height (in/mm) 4.823 in/122.5mm Weight (b/kg) 0.368 lb/0.167 kg Retail Box Dimensions 0.368 lb/0.167 kg Length (in/mm) 1.53 in/39mm Width (in/mm) 5.41 in/137.5mm Height (in/mm) 7.34 in/148.5mm Weight (lb/kg) 0.5952 lb/0.270 kg Master Carton Dimensions 0.42 in/158 mm Length (in/mm) 6.22 in/158 mm Width (in/mm) 6.22 in/158 mm Width (in/mm) 7.63 in/194 mm Weight (lb/kg) 2.672 lb/1.21 kg Palet Dimensions 2.672 lb/1.21 kg Length (in/mm) 40.03 in/101 mm Weight (lb/kg) 2.672 lb/1.21 kg Palet Dimensions 40.03 in/101 7mm Length (in/mm) 47.55 in/120 8mm Width (in/mm) 3.77 in/85 8mm Weight (lb/kg) 598.925 lb/271.68 kg Shopping Quantities 38.925 lb/271.68 kg <td colspan="6">Reliability</td>	Reliability					
Product Dimensions Output Length (in/mm) 0.571in/14.5mm Width (in/mm) 0.315in/80mm Height (in/mm) 4.823in/122.5mm Weight (lb/kg) 0.368blo.167kg Retail Box Dimensions 0.368blo.167kg Retail Box Dimensions 1.53in/39mm Width (in/mm) 1.53in/39mm Width (in/mm) 5.41in/137.5mm Height (in/mm) 0.5952lb/0.270kg Master Carton Dimensions 0.52in/188mm Length (in/mm) 6.22in/158mm Width (in/mm) 6.22in/158mm Width (in/mm) 6.22in/158mm Width (in/mm) 5.47in/139mm Weight (lb/kg) 2.672lb/1.212kg Palet Dimensions 2.672lb/1.212kg Palet Dimensions 1.03in/1017mm Weight (lb/kg) 3.37in/888mm Weight (lb/kg) 3.37in/888mm Weight (lb/kg) 598.925lb/271.668kg Shipping Quantities 4 Boxes per Master Carton 4 Master Cartons per Palet 192	Rescue Data Recovery Services	1				
Length (in/mm) 0.571in/14.5mm Width (in/mm) 3.15in/80mm Height (in/mm) 4.823in/122.5mm Weight (b/kg) 0.368b/0.167kg Retail Box Dimensions 1.53in/39mm Length (in/mm) 1.53in/39mm Weight (b/kg) 0.368b/0.167kg Weight (b/kg) 0.368b/0.167kg Width (in/mm) 1.53in/39mm Width (in/mm) 5.41in/137.5mm Weight (b/kg) 0.595b/0.270kg Master Catton Dimensions 0.595b/0.270kg Master Catton Dimensions 0.595b/0.270kg Weight (b/kg) 0.595b/0.270kg Master Catton Dimensions 6.22in/158mm Weight (b/kg) 5.47in/139mm Weight (b/kg) 5.47in/139mm Weight (b/kg) 5.47in/139mm Weight (b/kg) 2.672b/1.212kg Pallet Dimensions 1.53in/120mm Length (in/mm) 4.0.03in/1017mm Width (in/mm) 33.37in/158mm Weight (b/kg) 33.37in/858mm Weight (b/kg) 538.925b/271.668kg Shipping Quantities	Warranty, Limited (years)	1				
With (in/mm) 3.15in/80mm Height (in/mm) 4.823in/122.5mm Weight (b/kg) 0.368lb/0.167kg Retail Box Dimensions 1.53in/39mm Length (in/mm) 1.53in/39mm Weight (b/kg) 0.368lb/0.167kg Retail Box Dimensions 1.53in/39mm Length (in/mm) 5.41in/137.5mm Height (in/mm) 7.34in/186.5mm Weight (b/kg) 0.5951b/0.270kg Master Caton Dimensions 0.5951b/0.270kg Length (in/mm) 6.22in/158mm Width (in/mm) 6.22in/158mm Weight (b/kg) 2.672lb/1.212kg Pallet Dimensions 2.672lb/1.212kg Pallet Dimensions 40.03in/1017mm Width (in/mm) 40.03in/1017mm Width (in/mm) 33.77in/858mm Weight (b/kg) 598.925lb/271.668kg Shipping Quantities 598.925lb/271.668kg Boxes per Master Carton 4 Master Cartons per Pallet 192	Product Dimensions					
Height (in/mm) 4.823in/122.5mm Weight (lb/kg) 0.368lb/0.167kg Retail Box Dimensions 1.53in/39mm Length (in/mm) 1.53in/39mm Width (in/mm) 5.41in/137.5mn Height (in/mm) 7.34in/186.5mn Weight (lb/kg) 0.5952lb/0.270kg Master Carton Dimensions 6.22in/158mm Length (in/mm) 6.22in/158mm Width (in/mm) 5.41in/137.5mn Height (in/mm) 6.22in/158mm Width (in/mm) 6.22in/158mm Width (in/mm) 5.47in/139mm Height (in/mm) 6.22in/158mm Width (in/mm) 6.22in/158mm Weight (lb/kg) 2.672lb/1.212kg Pallet Dimensions 2.672lb/1.212kg Length (in/mm) 40.03in/1017mm Width (in/mm) 40.03in/1017mm Width (in/mm) 33.77in/858mm Height (lb/kg) 598.925lb/271.668kg Shipping Quantities 4 Boxes per Master Carton 4 Master Cartons per Pallet 192	Length (in/mm)	0.571in/14.5mm				
Weight (lb/kg) 0.368lb/0.167kg Retail Box Dimensions 1.53in/39mm Length (in/mm) 1.53in/39mm Width (in/mm) 5.41in/137.5mm Height (in/mm) 7.34in/186.5mm Weight (lb/kg) 0.5952lb/0.270kg Master Carton Dimensions 0.5952lb/0.270kg Length (in/mm) 6.22in/158mm Weight (lb/kg) 0.5952lb/0.270kg Master Carton Dimensions 1.52in/139mm Length (in/mm) 6.22in/158mm Weight (lb/kg) 2.672lb/1.21kg Pallet Dimensions 2.672lb/1.21kg Length (in/mm) 40.03in/1017mm Weight (lb/kg) 33.77in/858mm Pallet Dimensions 33.77in/858mm Length (in/mm) 47.55in/1208mm Height (in/mm) 33.77in/858mm Weight (lb/kg) 598.925lb/271.668kg Shipping Quantities 4 Boxes per Master Carton 4 Master Cartons per Pallet 192	Width (in/mm)	3.15in/80mm				
Retail Box DimensionsLength (in/mm)1.53in/39mmWidth (in/mm)5.41in/137.5mmHeight (in/mm)7.34in/186.5mmWeight (b/kg)0.5952b/0.270kgMaster Carton Dimensions6.22in/158mmLength (in/mm)6.22in/158mmWidth (in/mm)5.47in/139mmHeight (in/mm)5.47in/139mmWeight (b/kg)2.672ib/1.212kgPallet Dimensions2Length (in/mm)40.03in/1017mmWeight (b/kg)2.672ib/1.212kgPallet Dimensions40.03in/1017mmWeight (in/mm)47.55in/1208mmWeight (b/kg)598.925ib/271.668kgShipping Quantities4Boxes per Master Carton4Master Cartons per Pallet192	Height (in/mm)	4.823in/122.5mm				
Length (in/mm) 1.53in/39mm Width (in/mm) 5.41in/137.5mm Height (in/mm) 7.34in/186.5mm Weight (b/kg) 0.59521b/0.270kg Master Carton Dimensions 6.22in/158mm Length (in/mm) 6.22in/158mm Width (in/mm) 5.47in/139mm Width (in/mm) 5.47in/139mm Height (in/mm) 2.672lb/1.212kg Pallet Dimensions 2.672lb/1.212kg Pallet Dimensions 40.03in/1017mm Width (in/mm) 40.03in/1017mm Width (in/mm) 33.77in/858mm Weight (b/kg) 598.925lb/271.666kg Shipping Quantities 4 Boxes per Master Carton 4 Master Cartons per Pallet 192	Weight (lb/kg)	0.368lb/0.167kg				
Width (in/mm) 5.41in/137.5mm Height (in/mm) 7.34in/186.5mm Weight (b/kg) 0.0592b/0.270kg Master Carton Dimensions 6.22in/158mm Length (in/mm) 6.22in/158mm Weight (in/mm) 6.22in/158mm Weight (in/mm) 6.22in/158mm Weight (b/kg) 2.672ib/1.212kg Pallet Dimensions 2.672ib/1.212kg Length (in/mm) 40.03in/1017mm Width (in/mm) 40.03in/1017mm Width (in/mm) 3.3.77in/858mm Weight (b/kg) 598.925ib/271.668kg Shipping Quantities 4 Boxes per Master Carton 4 Master Cartons per Pallet 192	Retail Box Dimensions					
Height (in/mm)7.34in/186.5mmWeight (lb/kg)0.5952lb/0.270kgMaster Carton Dimensions6.22in/158mmLength (in/mm)6.22in/158mmWidth (in/mm)5.47in/139mmHeight (in/mm)7.63in/194mmWeight (lb/kg)2.672lb/1.212kgPalled Dimensions1Length (in/mm)40.03in/1017mmWidth (in/mm)33.77in/858mmHeight (in/mm)33.77in/858mmWeight (lb/kg)598.925lb/271.668kgShipping Quantities4Boxes per Master Carton4Master Cartons per Pallet192	Length (in/mm)	1.53in/39mm				
Weight (lb/kg)0.5952lb/0.270kgMaster Carton DimensionsLength (in/mm)6.22lin/158mmWidth (in/mm)5.47in/139mmHeight (in/mm)7.63in/194mmWeight (lb/kg)2.672lb/1.212kgPallet Dimensions2Length (in/mm)40.03in/1017mmWidth (in/mm)47.55in/1208mmWeight (lb/kg)33.77in/858mmWeight (lb/kg)598.925lb/271.668kgShipping Quantities4Boxes per Master Carton4Master Cartons per Pallet192	Width (in/mm)	5.41in/137.5mm				
Master Carton DimensionsLength (in/mm)6.22in/158mmWidth (in/mm)5.47in/139mmHeight (in/mm)7.63in/194mmWeight (b/kg)2.672lb/1.212kgPallet Dimensions2.672lb/1.212kgLength (in/mm)40.03in/1017mmWidth (in/mm)40.03in/1017mmWidth (in/mm)33.77in/858mmHeight (in/mm)598.925lb/271.668kgShipping Quantities4Boxes per Master Carton4Master Cartons per Pallet192	Height (in/mm)	7.34in/186.5mm				
Length (in/mm)6.22in/158mmWidth (in/mm)5.47in/139mmHeight (in/mm)7.63in/194mmWeight (lb/kg)2.672lb/1.212kgPalet DimensionsLength (in/mm)40.03in/1017mmWidth (in/mm)47.55in/1208mmHeight (in/mm)33.77in/858mmWeight (lb/kg)598.925lb/271.668kgShipping Quantities4Boxes per Master Carton4Master Cartons per Pallet192	Weight (lb/kg)	0.5952lb/0.270kg				
Width (in/mm)5.47in/139mmHeight (in/mm)7.63in/194mmWeight (lb/kg)2.672lb/1.212kgPallet Dimensions40.03in/1017mmLength (in/mm)47.55in/1208mmWidth (in/mm)33.77in/858mmHeight (in/mm)33.77in/858mmWeight (lb/kg)598.925lb/271.668kgShipping Quantities4Boxes per Master Carton4Master Cartons per Pallet192	Master Carton Dimensions					
Height (in/mm)7.63in/194mmWeight (lb/kg)2.672lb/1.212kgPallet DimensionsLength (in/mm)40.03in/1017mmWidth (in/mm)47.55in/1208mmHeight (in/mm)33.77in/858mmWeight (lb/kg)598.925lb/271.668kgShipping Quantities4Boxes per Master Carton4Master Cartons per Pallet192	Length (in/mm)	6.22in/158mm				
Weight (lb/kg)2.672lb/1.212kgPallet Dimensions40.03in/1017mmLength (in/mm)40.03in/1017mmWidth (in/mm)47.55in/1208mmHeight (in/mm)33.77in/858mmWeight (lb/kg)598.925lb/271.668kgShipping Quantities4Boxes per Master Carton4Master Cartons per Pallet192	Width (in/mm)	5.47in/139mm				
Pallet Dimensions Length (in/mm) 40.03in/1017mm Width (in/mm) 47.55in/1208mm Height (in/mm) 33.77in/858mm Weight (lb/kg) 598.925lb/271.668kg Shipping Quantities 4 Boxes per Master Carton 4 Master Cartons per Pallet 192	Height (in/mm)	7.63in/194mm				
Length (in/mm)40.03in/1017mmWidth (in/mm)47.55in/1208mmHeight (in/mm)33.77in/858mmWeight (lb/kg)598.925lb/271.668kgShipping Quantities9Boxes per Master Carton4Master Cartons per Pallet192	Weight (lb/kg)	2.672lb/1.212kg				
Width (in/mm) 47.55in/1208mm Height (in/mm) 33.77in/858mm Weight (lb/kg) 598.925lb/271.668kg Shipping Quantities 4 Boxes per Master Carton 4 Master Cartons per Pallet 192	Pallet Dimensions					
Height (in/mm) 33.77in/858mm Weight (lb/kg) 598.925lb/271.668kg Shipping Quantities 4 Boxes per Master Carton 4 Master Cartons per Pallet 192	Length (in/mm)	40.03in/1017mm				
Weight (lb/kg) 598.925lb/271.668kg Shipping Quantities Boxes per Master Carton Master Cartons per Pallet	Width (in/mm)	47.55in/1208mm				
Shipping Quantities Boxes per Master Carton Master Cartons per Pallet 192	Height (in/mm)	33.77in/858mm				
Boxes per Master Carton 4 Master Cartons per Pallet 192	Weight (lb/kg)	598.925lb/271.668kg				
Master Cartons per Pallet 192	Shipping Quantities					
	Boxes per Master Carton	4				
Pallet Layers 4	Master Cartons per Pallet	192				
	Pallet Layers	4				

1 Reformatting for Mac may be required.

2 Compatibility may vary depending on user's hardware configuration and operating system.

S	ystem Requirements	W	hat's Included
٠	Compatible with Xbox One, Xbox Series X S, PS4, and PS5. Compatible with most Windows and macOS systems. Visit		Spider-Man Drive Special Edition FireCuda External Hard Drive 18-inch (45.72cm) USB 3.0 cable
	www.seagate.com/os for details. ^{1,2}	٠	Rescue Data Recovery Services

Quick Install Guide

seagate.com



© 2022 Seagate Technology LLC. All rights reserved. Seagate, Seagate Technology, and the Spiral logo are registered trademarks of Seagate Technology LLC in the United States and/or other countries. FireCuda and the FireCuda logo are either trademarks or registered trademarks of Seagate Technology LLC or one of its affiliated companies in the United States and/or other countries. All other trademarks or registered trademarks are the property of their respective owners. When referring to drive capacity, one gigabyte, or GB, equals one billion bytes and one terabyte, or TB, equals one trillion bytes. Your computer's operating system may use a different standard of measurement and report a lower capacity. In addition, some of the listed capacity is used for formatting and other functions, and thus will not be available for data storage. Actual data rates may vary depending on operating environment and other factors, such as chosen interface and drive capacity. Seagate reserves the right to change, without notice, product offerings or specifications. DS2104.1-2206 AMER