



DATA SHEET

Speed. Versatility. Dependability.

## BarraCuda Q1



Improve PC performance with up to 20× faster speeds than hard drives<sup>1</sup>. Seagate® BarraCuda™ Q1 is an internal SATA SSD built with the latest QLC NAND technology. Easily upgrade via universal plug-and-play compatibility, and take advantage of durability with up to 280TB total bytes written (TBW).



### Best-Fit Applications

- Desktop upgrades
- Laptop upgrades
- Workstation upgrades
- 3.5 HDD or 2.5 HDD swap-out upgrades

---

Upgrade to affordable SSD performance with next-gen 3D QLC NAND.

---

Leverage a SATA SSD that provides up to 20× faster speeds than hard drives<sup>1</sup>.

---

Harness high sequential read/write speeds (up to 550/500MB/s) for more responsive downloads, installs, and multitasking.

---

Easily upgrade from hard drives using universal plug-and-play SATA connections.

---

Extend the battery life of your laptop with low active power requirements of up to 2.1W.

---

Migrate and clone data from previous drive using free Seagate DiscWizard™ software.

---

Improve durability over the long haul with up to 280TB total bytes written (TBW)

<sup>1</sup> Based on PCMark8 Storage 2.0 Bandwidth (169.2MB/s BC Q1 SSD vs 8.34MB/s HDD). Internal testing.



Specifications	960GB	480GB	240GB
Standard Model	ZA960CV10001	ZA480CV10001	ZA240CV10001
Interface <sup>1</sup>	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s
NAND Flash Memory	3D QLC	3D QLC	3D QLC
Form Factor	2.5 in × 7mm	2.5 in × 7mm	2.5 in × 7mm
<b>Performance</b>			
Sequential Read (Max, MB/s), 128KB <sup>2</sup>	550	550	550
Sequential Write (Max, MB/s), 128KB <sup>2</sup>	500	500	450
<b>Endurance/Reliability</b>			
Total Bytes Written (TB)	280	110	50
Mean Time Between Failures (MTBF, hours)	1,800,000	1,800,000	1,800,000
Warranty, Limited (years)	3	3	3
<b>Power Management</b>			
Active Power, Average (W)	2.1	2.0	1.7
Slumber (mW)	23	22	20
<b>Environmental</b>			
Temperature, Operating Internal (°C)	0 to 70	0 to 70	0 to 70
Temperature, Nonoperating (°C)	-40 to 85	-40 to 85	-40 to 85
Shock, Nonoperating: 0.5ms (Gs)	1500	1500	1500
<b>Special Features</b>			
TRIM	Yes	Yes	Yes
S.M.A.R.T.	Yes	Yes	Yes
Halogen Free	Yes	Yes	Yes
RoHS Compliance	Yes	Yes	Yes
<b>Physical</b>			
Height (mm/in, max)	7.10mm/0.279in	7.10mm/0.279in	7.10mm/0.279in
Width (mm/in, max)	70.10mm/2.759in	70.10mm/2.759in	70.10mm/2.759in
Depth (mm/in, max)	100.40mm/3.952in	100.40mm/3.952in	100.40mm/3.952in
Weight (g/lb)	40g/0.088lb	40g/0.088lb	40g/0.088lb

<sup>1</sup> Backward compatible to SATA 3Gb/s and SATA 1.5Gb/s

<sup>2</sup> Fresh out of box (FOB) performance obtained on newly formatted drive. Performance may vary based on SSD's firmware version, system hardware, and configuration. Performance based on CrystalDiskMark v.5.0 ×64 with SATA 6Gb/s host.



Ordering Information			
Specifications			
Retail Packaging	Box Dimensions	Master Carton Dimensions	Pallet Dimensions
Depth/Length (in/mm)	0.555in/14.1mm	7.717in/196mm	48.031in/1220mm
Width (in/mm)	5.236in/133mm	12.126in/308mm	40.157in/1020mm
Height (in/mm)	7.008in/178mm	6.339in/161mm	57.086in/1450mm
Weight (lb/kg)	0.159lb/0.072kg	3.968lb/1.8kg	601.862lb/273kg
Quantities			
Boxes per Master Carton	20		
Master Cartons per Pallet	144		
Pallet Layers	8		

System Requirements	What's Included
---------------------	-----------------

- SATA 6Gb/s or SATA 3Gb/s port
- Windows® 10, Windows 8.1
- Linux
- Seagate® BarraCuda™ Q1 SSD

Region	Model Number	Capacity	Limited Warranty (years)	UPC Code	EAN Code	Multi-Pack UPC
WW	ZA240CV1A001	240GB	3	763649147337	8719706027588	10763649147334
WW	ZA480CV1A001	480GB	3	763649143551	8719706024310	10763649143558
WW	ZA960CV1A001	960GB	3	763649143568	8719706024327	10763649143565

[seagate.com](http://seagate.com)



© 2020 Seagate Technology LLC. All rights reserved. Seagate, Seagate Technology, and the Spiral logo are registered trademarks of Seagate Technology LLC in the United States and/or other countries. BarraCuda, the BarraCuda logo, and DiscWizard are either trademarks or registered trademarks of Seagate Technology LLC or one of its affiliated companies in the United States and/or other countries. All other trademarks or registered trademarks are the property of their respective owners. When referring to drive capacity, one gigabyte, or GB, equals one billion bytes and one terabyte, or TB, equals one trillion bytes. Your computer's operating system may use a different standard of measurement and report a lower capacity. In addition, some of the listed capacity is used for formatting and other functions, and thus will not be available for data storage. Actual data rates may vary depending on operating environment and other factors, such as chosen interface and drive capacity. Seagate reserves the right to change, without notice, product offerings or specifications. DS2033.2-2006US June 2020