




DATA SHEET

Speed. Versatility. Dependability.

## BarraCuda Q5



Upgrade your PC with the Seagate® BarraCuda™ Q5 NVMe SSD and unleash performance speeds up to 50× faster than traditional HDDs. Designed with the latest 3D QLC NAND technology, BarraCuda Q5's slim M.2 2280 form factor provides optimal compatibility and easy plug-and-play installation.



### Best-Fit Applications

- Desktop upgrades
- Laptop upgrades
- Workstation upgrades
- HDD or SSD swap-out upgrades



---

Upgrade to cost-effective SSD speeds with next-gen 3D QLC NAND

---

Leverage NVMe SSD speeds that are up to 50× faster than traditional hard drives

---

Harness high sequential read/write speeds (up to 2400/1800MB/s) for more responsive downloads, installs, and multitasking

---

Get easy installation and upgrades with a slim M.2 2280 NVMe form factor

---

Extend battery life with low active power requirements of up to 3.2W

---

Rely on a robust 3-year limited warranty and 1.8M-hours MTBF

---

Three years of Rescue Data Recovery Services<sup>1</sup>, offering an industry-leading 95% success rate against unexpected data loss

---

Benefit from long-term durability with up to 531TB total bytes written (TBW)

---

Migrate and clone data from old drives with ease using free Seagate DiscWizard™ software tool

---

Monitor SSD performance, health, and firmware updates with free Seagate SeaTools™ SSD software tool

---

<sup>1</sup> Rescue Data Recovery Services not available in all countries.



Specifications	2TB	1TB	500GB
Capacity	2TB	1TB	500GB
Standard Model	ZP2000CV30001	ZP1000CV30001	ZP500CV30001
Interface	PCIe® Gen3 x4 NVMe™ 1.3	PCIe Gen3 x4 NVMe 1.3	PCIe Gen3 x4 NVMe 1.3
NAND Flash Memory	3D QLC	3D QLC	3D QLC
Form Factor	M.2 2280-S2	M.2 2280-S2	M.2 2280-S2
<b>Performance</b>			
Sequential Read (Max, MB/s), 128KB <sup>1</sup>	2400	2400	2300
Sequential Write (Max, MB/s), 128KB <sup>1</sup>	1800	1700	900
<b>Endurance/Reliability</b>			
Total Bytes Written (TB)	531	274	119
Mean Time Between Failures (MTBF, hours)	1,800,000	1,800,000	1,800,000
Warranty, Limited (years)	3	3	3
Rescue Data Recovery Services (years)	1	1	1
<b>Power Management</b>			
Active Power, Average (W)	3.3	3.1	2.2
Idle Power PS3, Average (mW)	25	27	23
Low Power L1.2 mode (mW)	1.6	1.6	1.5
<b>Environmental</b>			
Temperature, Operating Internal (°C)	0 to 70	0 to 70	0 to 70
Temperature, Nonoperating (°C)	-40°C – 85°C	-40°C – 85°C	-40°C – 85°C
Shock, Nonoperating: 0.5ms (Gs)	1500	1500	1500
<b>Special Features</b>			
TRIM	Yes	Yes	Yes
S.M.A.R.T.	Yes	Yes	Yes
Halogen Free	Yes	Yes	Yes
RoHS Compliance	Yes	Yes	Yes
<b>Physical</b>			
Height (mm/in, max)	2.15mm/0.085in	2.15mm/0.085in	2.15mm/0.085in
Width (mm/in, max)	22.0mm/0.866in	22.0mm/0.866in	22.0mm/0.866in
Depth (mm/in, max)	80.00mm/3.149in	80.00mm/3.149in	80.00mm/3.149in
Weight (g/lb)	7.0g/0.015lb	7.0g/0.015lb	7.0g/0.015lb

<sup>1</sup> Fresh out of box (FOB) performance obtained on newly formatted drive. Performance may vary based on SSD's firmware version, system hardware, and configuration. Performance based on CrystalDiskMark v.6.0 x64 on Windows 10 host.



Specifications				
Retail Packaging	Product Dimensions	Box Dimensions	Master Carton Dimensions	Pallet Dimensions
Length (in/mm)	—	7.008in/178mm	11.417in/290mm	47.992in/1219mm
Width (in/mm)	—	5.236in/133mm	7.008in/178mm	20in/508mm
Depth (in/mm)	—	0.512in/13mm	5.236in/133mm	37.283in/947mm
Weight (lb/kg)	—	0.112lb/0.051kg	2.875lb/1.304kg	428.49lb/194.36kg
Quantities				
Boxes per Master Carton	20			
Master Cartons per Pallet	30			
Pallet Layers	5			

System Requirements	What's Included
---------------------	-----------------

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>• M.2 (M key) slot, PCIe G3 x4 interface</li> <li>• Windows® 10, Windows 8.1</li> <li>• Linux</li> </ul> | <ul style="list-style-type: none"> <li>• Seagate® BarraCuda™ Q5 SSD</li> </ul> |
|---|--|

Region	Model Number	Capacity	Limited Warranty (years)	UPC Code	EAN Code	Multi-Pack UPC
WW	ZP500CV3A001	500GB	3	763649147467	8719706027717	10763649147464
WW	ZP1000CV3A001	1TB	3	763649147474	8719706027724	10763649147471
WW	ZP2000CV3A001	2TB	3	763649147481	8719706027731	10763649147488

[seagate.com](http://seagate.com)



© 2021 Seagate Technology LLC. All rights reserved. Seagate, Seagate Technology, and the Spiral logo are registered trademarks of Seagate Technology LLC in the United States and/or other countries. BarraCuda, the BarraCuda logo, DiscWizard, and SeaTools are either trademarks or registered trademarks of Seagate Technology LLC or one of its affiliated companies in the United States and/or other countries. The NVMe word mark and/or NVMeExpress design mark are trademarks of NVMeExpress, Inc. The PCIe word mark and/or PCIeExpress design mark are registered trademarks and/or service marks of PCI-SIG. All other trademarks or registered trademarks are the property of their respective owners. When referring to drive capacity, one gigabyte, or GB, equals one billion bytes and one terabyte, or TB, equals one trillion bytes. Your computer's operating system may use a different standard of measurement and report a lower capacity. In addition, some of the listed capacity is used for formatting and other functions, and thus will not be available for data storage. Actual data rates may vary depending on operating environment and other factors, such as chosen interface and drive capacity. Seagate reserves the right to change, without notice, product offerings or specifications. DS2057.2-2104US April 2021