

Laptop SSHD Laptop Thin SSHD

Data Sheet

Unparalleled Speed. Huge Capacity. Amazing Value.

- Equipped with both 32GB and 8GB NAND Flash for enhanced performance
- Boots up and performs like an SSD¹
- Capacities of up to 1TB
- All-in-one design for simplicity and ease of installation
- Installs and works just like a traditional hard drive in any laptop, PC,
 Mac or game console, and with any OS and application
- SATA 6Gb/s with NCQ for interface speed
- Self-Encrypting Drive (SED) versions available to maximise data protection and minimise the risk of confidential information breaches
- Backed by a 5-year limited warranty

Best-Fit Applications

- Thin, thinner and thinnest z-heights
- Perfect for gaming, creative professional, and high performance settings
- 9.5mm for all-in-one PCs and larger laptops
- 7mm for thin and light laptops and high-performance gaming systems

1 Performance may vary depending on user's hardware configuration and operating system. Testing performed on a Seagate[®] Laptop SSHD 1TB and Seagate Laptop Thin SSHD 500GB.





Laptop SSHD Laptop Thin SSHD



Specifications	9.5mm	9.5mm	7mm
Capacity	1TB	1TB	500GB
Standard Model with 8GB NAND Flash	_	ST1000LM014	ST500LM000
Standard Model with 32GB NAND Flash	ST1000LX001	_	_
Standard Zero Gravity Sensor (ZGS) Model	-	-	_
Self-Encrypting Drive (SED) Model ¹	_	ST1000LM028	ST500LM001
SED-FIPS 140-2 Model ²	_	ST1000LM015	ST500LM020
Model Name	Laptop SSHD	Laptop SSHD	Laptop Thin SSHD
Interface ³	SATA 6.0/3.0/1.5Gb/s NCQ	SATA 6.0/3.0/1.5Gb/s NCQ	SATA 6.0/3.0/1.5Gb/s NCQ
Performance			
Flash Memory Type	32GB NAND Flash	8GB NAND Flash	8GB NAND Flash
Versus 2.5-in. 5400RPM/7200RPM HDD			
Game Load Test ⁴	200% Faster/95% Faster	140% Faster/50% Faster	140% Faster/50% Faster
Application Load Test ⁵	600% Faster/400% Faster	450% Faster/300% Faster	450% Faster/300% Faster
Windows 7 Boot Time ⁶	35% Faster/25% Faster	35% Faster/25% Faster	35% Faster/25% Faster
Configuration/Organisation			
Heads/Discs	4/2	4/2	2/1
Bytes per Sector	4096	4096	4096
Power Supply Requirements	+5 V	+5 V	+5 V
Reliability/Data Integrity			
Head-Rest Method	QuietStep [™] Ramp Load	QuietStep [™] Ramp Load	QuietStep Ramp Load
Load/Unload Cycles ⁷	600,000	600,000	600,000
Non-recoverable Read Errors per Bits	1 per 10E15	1 per 10E15	1 per 10E15
Read, Max	•		
Annualised Failure Rate (AFR)	0.48%	0.48%	0.48%
Limited Warranty (years)	5	5	5
Power Management			
Power, Seek, Typical (W)	2.7W	2.7W	2.5W
Idling Average (W)	0.9W	0.9W	0.9W
Environmental/Temperature			
Temperature, Operating/Non-Operating (ambient, min °C)	0°C/-40°C	0°C/-40°C	0°C/-40°C
Temperature, Operating/Non-Operating (ambient, max °C)	60°C/70°C	60°C/70°C	60°C/70°C
Shock, Operating: 2ms (Gs)	350Gs	350Gs	350Gs
Shock, Non-operating: 1ms (Gs)	1000Gs	1000Gs	1000Gs
Acoustic, Seek/Idle, Typical (bels)	2.4bels/2.2bels	2.4bels/2.2bels	2.2bels/2.0bels
Physical			
Height (mm/in)	9.5mm/0.374in	9.5mm/0.374in	6.8mm/0.268in
Width (mm/in, max)	69.85mm/2.750in	69.85mm/2.750in	69.85mm/2.750in
Depth (mm/in, max)	100.35mm/3.95in	100.35mm/3.95in	100.35mm/3.95in
Weight (lb/g)	115g/0.254lb	115g/0.254lb	95g/0.209lb
Carton Unit Quantity	50	50	50
Cartons per Pallet / Cartons per Layer	60/10	60/10	60/10

- 1 Self-Encrypting Drives (SED) and FIPS 140-2 Validated drives are not available in all models or countries. May require TCG-compliant host or controller support.
- 2 Some SED FIPS 140-2 models in review. See FIPS 140-2 Level 2 Certificate at: http://csrc.nist.gov/groups/STM/cmvp/documents/140-1/1401val2011.htm#1635. 3 Supports hotplug operation per Serial ATA Revision 2.6 specification.
- 4 Testing conducted by Seagate. Tested using PCMark 7 system storage gaming test. Results have been rounded for display purposes. HDD performance may vary by brand, model and
- Testing conducted by Seagate. Tested using PCMark 7 system storage starting applications test. Results have been rounded for display purposes. HDD performance may vary by brand, model and application.
- 6 Testing conducted by Seagate using Intel Core i5-based with Intel OM77 chipset laptop and configured with 8GB RAM. Tested using Microsoft utility. Results have been rounded for display purposes. HDD performance may vary by brand, model and application. 7 Load/Unload tested to 600,000 cycles

SEAGATE.COM

AMERICAS Seagate Technology LLC 10200 South De Anza Boulevard, Cupertino, California 95014, United States, 408-658-1000 ASIA/PACIFIC Seagate Singapore International Headquarters Pte. Ltd. 7000 Ang Mo Kio Avenue 5, Singapore 569877, 65-6485-3888 EUROPE, MIDDLE EAST AND AFRICA Seagate Technology SAS 16-18, rue du Dôme, 92100 Boulogne-Billancourt, France, 33 1-4186 10 00

© 2016 Seagate Technology LLC. All rights reserved. Printed in USA. Seagate, Seagate Technology and the Spiral logo are registered trademarks of Seagate Technology LLC in the United States and/or other countries. QuietStep is either a trademark or registered trademark of Seagate Technology LLC or one of its affiliated companies in the United States and/or other countries. All other trademarks or registered trademarks are the property of their respective owners. When referring to drive capacity, one gigabyte, or GB, equals one billion bytes and one terabyte, or TB, equals one trillion bytes. Your computer's operating system may use a different standard of measurement and report a lower capacity. In addition, some of the listed capacity is used for formatting and other functions, and thus will not be available for data storage. Actual data rates may vary depending on operating environment and other factors. The export or re-export of Seagate hardware or software is regulated by the U.S. Department of Commerce, Bureau of Industry and Security (for more information, visit www.bis.doc.gov), and may be controlled for export, import and use in other countries. Seagate reserves the right to change, without notice, product offerings or specifications. DS1814.3-1602US February 2016